

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) An electronic device which comprises an electromagnetic shield, said electromagnetic shield comprising:  
a metal foil and a metal plate that are connected to each other,  
wherein at a connecting portion of said metal foil and said metal plate, a protrusion, formed by deforming said metal foil along an edge of said metal foil, is fitted into a hole formed along an edge of said metal plate, said metal foil and said metal plate are fastened to each other with a screw at said connecting portion.

2. (Original) The electronic device according to claim 1, wherein said protrusion is formed by rolling up said edge of said metal foil.

3. (Original) The electronic device according to claim 1, wherein said protrusion is formed by bending said edge of said metal foil.

4 (Cancelled)

5. (Previously presented) An electronic device which comprises an electromagnetic shield, said electromagnetic shield comprising:  
a metal foil and a metal plate that are connected to each other,  
wherein: at a connecting portion of said metal foil and said metal plate, a protrusion, formed by deforming said metal foil, is formed on said metal foil, and at a position apart from said protrusion in said connecting portion, said

metal foil and said metal plate are fastened to each other with a screw so that said protrusion is toward said metal plate.

6. (Original) The electronic device according to claim 5, wherein said protrusion is formed by rolling up said edge of said metal foil.

7. (Original) The electronic device according to claim 5, wherein said protrusion is formed by subjecting said metal foil to a drawing process.

8. (Withdrawn) An electronic device which comprises an electromagnetic shield, said electromagnetic shield comprising:

a metal foil and a metal plate that are connected to each other,

wherein: said metal foil is bent in such a manner as to cover an edge of said metal plate, and an area of a pair of main surfaces of said metal plate that is adjacent to said edge is sandwiched in a groove of a frame member together with said metal foil so that said metal foil and said metal plate are fixed to each other.

9. (Original) The electronic device according to claim 1, said metal foil comprising:

a rib formed by bending.

10. (Original) The electronic device according to claim 5, said metal foil comprising:

a rib formed by bending.

11. (Withdrawn) The electronic device according to claim 1, wherein said metal foil comprises a hole that is formed by a hand push cutter, with a burr portion being left on a periphery thereof.

Claim 12. (Withdrawn) The electronic device according to claim 5, wherein said metal foil comprises a hole that is formed by a hand push cutter, with a burr portion being left on a periphery thereof.

Claim 13. (Withdrawn) An electronic device which comprises an electromagnetic shield, said electromagnetic shield comprising:

a first metal foil and a second metal foil that are connected to each other,

wherein, at a connecting portion of said first metal foil and said second metal foil, said first metal foil and said second metal foil are laminated with each other, and fixed to each other with a fixing member.

Claim 14. (Withdrawn) The electronic device according to claim 13, wherein said fixing member is a stapler pin.

Claim 15. (Withdrawn) The electronic device to claim 13, wherein said fixing member is a chip.

Claim 16. (Withdrawn) The electronic device according to claim 14, wherein, at said connecting portion, said first metal foil and said second metal foil are overlapped with each other into a triple or more overlapped structure with each other.

Claim 17. (Withdrawn) The electronic device according to claim 15, wherein, at said connecting portion, said first metal foil and said second metal foil are overlapped with each other into a triple or more overlapped structure with each other.

Claim 18. (Withdrawn) The electronic device according to claim 14, wherein, each of said first metal foil and said second metal foil comprises a protrusion that is formed by rolling up an end thereof, and located adjacent to said connection portion.

Claim 19. (Withdrawn) The electronic device according to claim 15, wherein, each of said first metal foil and said second metal foil comprises a protrusion that is formed by rolling up an end thereof, and located adjacent to said connecting portion.

Claim 20. (Withdrawn) An electronic device which comprises an electromagnetic shield, said electromagnetic shield comprising:

a first metal foil and a second metal foil that are connected to each other,

wherein, at a connecting portion of said first metal foil and said second metal foil, said first metal foil and said second metal foil are laminated with each other, and rolled up while being left laminated.

21. (Previously Presented) The electronic device of claim 5 wherein said metal plate includes a hole for receiving said protrusion and wherein said protrusion is pressed into said hole.

22. (Withdrawn) The electronic device of claim 5 wherein said protrusion is pressed against said metal plate.